✓ CLOSE ROLLUP, GARAGE, AND OVERHEAD DOORS ALL THE WAY

- If your door is not a wind-rated door, there are ways to reinforce it temporarily with a brace.
- For small businesses, also close all interior doors to give your roof a fighting chance.

✓ SECURE OUTDOOR ITEMS

 Unsecured objects like equipment, inventory, pallets, materials, tables, chairs, and signs can become flying debris, causing damage to your building or surrounding businesses.

✓ CHECK DRAINAGE AGAIN

• Ensure all outdoor drains are clear and free of debris.



✓ PROTECT YOURSELF

- · Your safety is most important.
- Always be careful when entering a damaged building. If there is serious structural damage, contact local officials before entering. Report downed power lines or gas leaks. Keep electricity turned off if the building has been flooded.

✓ CLEAN UP SAFELY

- Use eye protection and gloves when clearing debris.
- Do not wade through standing water.
- Avoid downed power lines and assume they are live.
- Use generators safely.
- Note that adjusters may tell business owners to hire a professional cleaning service.

✓ PROTECT YOUR PROPERTY

• Even minor damage to your roof or building envelope can lead to water entering your building. You may be able to prevent further damage using a tarp.

✓ REPORT LOSSES AS SOON AS POSSIBLE

- Contact your insurance agent or insurer as soon as you can.
- Provide a description of the damage and have your policy number handy.
- Write down the adjuster's name, phone number and work schedule.

✓ DOCUMENT DAMAGE

- · Document or keep damaged items.
- Turn on location services when taking photographs or video to verify the location of your items.

✓ KEEP RECEIPTS

 \cdot $\,$ Ease the claims process with good record-keeping.

✓ RETURN CLAIM FORMS

After your insurance company has been notified of your claim, they must send you the necessary claim forms within a certain number of days (varies by state). Fill out and return forms as soon as possible. If you don't understand the process, ask questions and write down the explanation.

✓ REBUILD STRONGER



Consider building back stronger to the FORTIFIED Commercial™

standard to avoid repeat damage. FORTIFIED is a set of above-code building and retrofitting steps shown to strengthen businesses against severe weather. Learn more at <u>fortifiedcommercial.org</u>.

Share this guide with fellow business owners and reduce your risk from hurricanes!



HURRICANE-READY.COM

Nationwide, Nationwide is on your side, and the Nationwide N and Eagle are service marks of Nationwide Mutual Insurance Company

Nationwide, a member of the Insurance Institute for Business & Home Safety, is proud to present you with valuable IBHS loss control resources.

> © Insurance Institute for Business & Home Safety IBHS21V1

MAKE YOUR BUSINESS

Nationwide

HURRICANE-READY.COM

BE HURRICANE READY

SEASONAL PREP

✓ INSPECT AND MAINTAIN ROOF

- Roof covers
- Roof drainage systems
- Metal roof edge flashing
 Skylights

Lightning protection

Roof hatches

- Roof-mounted equipment
- · Solar (photovoltaic) panels

Learn more at disastersafety.org/maintenance/how-toinspect-and-maintain-your-commercial-roof/.

✓ SEAL WINDOWS

- Check seals around windows and use sealants compatible with adjacent building materials to seal any cracks or gaps to keep water out.
- In some cladding and/or storefront systems there are weeps that are intended to stay open and should not be caulked.

✓ INSPECT ROLL-UP, GARAGE, AND OVERHEAD DOORS

- Check the brackets that connect the door frame to the structure. Make sure they are tightly secured, not missing any bolts or nuts, and are not broken.
- Make sure there are no major dents, damage, warping, or rusting.
- Check for a wind label. If there are no labels, contact a commercial door contractor to determine if you have the proper door for your area.

✓ SECURE OUTDOOR ITEMS

- Consider equipment, inventory, pallets, tables and chairs, patio umbrellas, benches, and other moveable items.
- Make sure sign connections have no missing bolts or screws and are free from rust.

✓ TRIM TREES

 Keep all trees trimmed and away from the roof and building. Trees near or overhanging your building can damage the roof, damage the building, and clog drains.

✓ CHECK DRAINAGE

- Ensure all outdoor drains are clear of debris, especially around shipping and receiving areas.
- Be sure roof drains are clear.
- Extend downspouts away from the building to divert water.

✓ REVIEW INSURANCE POLICY

- · Know what your policy covers—and what it doesn't.
- Store your insurance agent's contact information in your phone.

✓ UNDERSTAND YOUR FLOOD THREAT

- Find your property on FEMA's Flood Map Service Center at <u>msc.fema.gov/portal/home</u> or by contacting your local government to understand your flood risk. Note that flooding can occur outside of high-risk flood areas.
- Know the base flood elevation (BFE) for your property and determine whether the elevation of your building's lowest floor is above or below the BFE.

✓ CREATE A BUSINESS CONTINUITY PLAN

 Help your business plan for any type of business disruption. Learn how at <u>disastersafety.org/</u> <u>business-protection/ofb-ez</u>.



✓ REPAIR YOUR ROOF

- Repair minor roof damage like punctures or tears.
- Strengthen your roof by adding additional fasteners, especially in the corners and perimeter areas.
- Fix flashing.
- · Get a wind uplift test for your roof.
- Replace missing or damaged gutters and drains as needed.
- · Install cables and straps over roof-mounted equipment.

Learn more at <u>disastersafety.org/maintenance/how-to-inspect-and-maintain-your-commercial-roof/</u>

✓ UPGRADE TO IMPACT-RATED WINDOWS

 Stronger windows can better withstand high winds and flying debris. Look for windows labeled as impact resistant.

✓ REPLACE A ROLLUP, GARAGE, OR OVERHEAD DOOR WITH A WIND-RATED DOOR

• Talk to a contractor or engineer to determine what is appropriate for your location.

✓ PURCHASE HURRICANE SHUTTERS

- Plan ahead and purchase hurricane shutters (code-conforming aluminum paneling) to cover your windows if a hurricane nears.
- Note: Plywood should only be used in place of shutters as a last-minute resort when tropical weather is imminent. If plywood must be used, be sure it's at least ¾ inch thick.

✓ INSTALL BACKUP POWER

- Install a backup power generator. Be sure to operate and maintain generators in accordance with manufacturer recommendations.
- Install battery backups for sump pumps to prevent water losses during power outages.

✓ CHECK PACKAGED TERMINAL AIR CONDITIONERS (PTAC) UNITS

- Inspect all units to ensure they are properly installed to resist wind-driven rain. Leaks from these units can cause costly damage.
- Ensure all units are installed per manufacturer guidelines, typically tilted 2° toward the outside of the building, and are correctly caulked between the outside of the building and the sleeve.



✓ WHEN HURRICANE WATCH IS ISSUED, PUT BUSINESS CONTINUITY PLAN INTO ACTION

Begin last-minute preparations. Note that employees
may need time to prep their home as well.

✓ INSTALL HURRICANE SHUTTERS

 Plywood should be a last resort. If forced to use plywood, use at least ³/₄ inch thick. Taping windows provides no protection and wastes time.

